

REAL POWER UNREAL PERFORMANCE

XSPowerBatteries.com



AUDIO / MARINE / COMMERCIAL / FLEET

DESIGNED FOR USE AS A SUPPLEMENTAL POWER SOURCE

XP SERIES / 12V AGM BATTERIES

With a variety of models available, the all new XP series from XS Power offers industry leading supplemental power for mobile audio, marine, emergency, commercial, and fleet applications. Anywhere additional storage power is needed, the new XP series has the power on-tap to supply it!



XP750 / 12V AGM Designed As A Supplemental Power Source

MAX AMP : 750 RC : 28 Ah: 22

Capable of providing supplemental power for audio systems up to 750W of power, this battery is also an ideal candidate for back-up power in tight fit applications like emergency lighting and other commercial applications.

Weight: 14.5lbs (6.5kg)
L: 7.13"(181mm) **W:** 3.03"(77mm) **H:** 6.57"(167mm)



XP950 / 12V AGM Designed As A Supplemental Power Source

MAX AMP : 950 RC : 50 Ah: 35

Direct fit for many UTV and side by side powersports applications. This group U1 power-plant is also a great model to supplement nearly 1,000W of power.

Weight: 24.5lbs (11.1kg)
L: 7.68"(195mm) **W:** 5.12"(130mm) **H:** 6.61"(168mm)



XP2000 / 12V AGM Designed As A Supplemental Power Source

MAX AMP : 2000 RC : 150 Ah: 80

With industry leading capacity, this BCI Group 24 model can provide excellent reserve power for boats, RV's, communication systems and also easily supports audio amplifiers up to 2,000W.

Weight: 52lbs (23.59kg)
L: 10.2"(258mm) **W:** 6.54"(166mm) **H:** 8.46"(215mm)



XP2500 / 12V AGM Designed As A Supplemental Power Source

MAX AMP : 2500 RC : 185 Ah: 100

In a convenient BCI Group 27 case, the XP2500 has enough capacity for nearly any marine, fleet, or commercial application. Powering up to 2,500W of amplifier power is no large task for this beast!

Weight: 66lbs (30kg)
L: 12"(306mm) **W:** 6.65"(169mm) **H:** 8.46"(215mm)



515
 XP750 series billet aluminum hold down



535
 XP950 series billet aluminum hold down



577
 XP2000 series billet aluminum hold down



Photo: Facebook.com/fradi.lovephotographer Model: Sunny Schenberg



XP3000 / 12V AGM Designed As A Supplemental Power Source

MAX AMP : 3000 RC : 240 Ah: 120

This 73lb power-house can be used to power even the largest of power hungry devices. Capable of delivering energy for over 3,000W of power, this Group 31 model will still be standing when all the rest are left empty!

Weight: 73lbs (33kg)
L: 13" (330mm) W: 6.8" (173mm) H: 8.65" (220mm)



597

XP2500 series billet aluminum hold down



598

XP3000 series billet aluminum hold down



XS FLEX

Blue 1/0 (XSFLEX0BL-50)
Clear 1/0 (XSFLEX0CL-50)

Blue 4 AWG (XSFLEX4BL-100)
Clear 4 AWG (XSFLEX4CL-100)

XS Flex / True AWG 100% Pure Oxygen Free Tinned Copper STRAND CT : 4,704 MATL : 100% OXYGEN FREE COPPER

The **XS Flex** line of power cable is XS Power's flagship power cable. It is available in **Blue (XSFLEX0BL-50)** and **Clear (XSFLEX0CL-50)** and in both 50' spools or in 1' increments. The **XS Flex** cable is 100% Pure Oxygen Free Tinned Copper Cable with a massive 4,704 strand count. Just like everything else XS Power does the **XS Flex** cable exceeds the industry CEA-2015 cabling standards and is True AWG cable. The high strand count and soft touch cable jacket allows the wire to be super flexible and easy to use in any installation. Both **XS Flex** cables are also available in a 1,862 strand count 4 AWG.



XP FLEX

Blue 1/0 (XPFLEX0BL-50)
Black 1/0 (XPFLEX0BK-50)
Red 1/0 (XPFLEX0RD-50)

Blue 4 AWG (XPFLEX4BL-100)
Black 4 AWG (XPFLEX4BK-100)
Red 4 AWG (XPFLEX4RD-100)

XP Flex / True AWG STRAND CT : 5,250 MATL : 10% OXYGEN FREE CCA

XS Power is also proud to announce the release of our **XP Flex** line of cable. **XP Flex** is the more economical option in the power cable line, which offers extreme performance and benefits at a great value. The **XP Flex** cable is available in **Black (XPFLEX0BK-50)**, **Blue (XPFLEX0BL-50)** and **Red (XPFLEX0RD-50)** in both 50' spools or in 1' increments. The **XP Flex** cable is 10% Oxygen Free Copper Clad Aluminum (CCA) Cable with an oversized 5,250 strand count, which also exceeds the industry CEA-2015 cabling standards and is True AWG cable. The **XP Flex** cable is also designed to be super flexible and easy to use in any installation. All three **XP Flex** cables are also available in an oversized 2,009 strand count 4 AWG.

Distributed by:



888.4XSPower
2847 John Deere Dr.
Knoxville, TN 37917