



**REAL POWER
UNREAL PERFORMANCE**

XSPOWERBATTERIES.COM



MOBILE AUDIO

DESIGNED FOR USE AS A SUPPLEMENTAL POWER SOURCE

 **MESA**
Built Exclusively for MESA

NEW FROM XSPower

MX600

M5 TERMINALS

High amperage copper/nickle alloy M5 bolt-in terminal design

BULLET PROOF

Bullet proof, pure lead inter-cell connections for long lasting performance

EPOXY SEAL

Air tight epoxy bonded lid to case seal

INDICATOR

600 watts of audio power with part numbers indicating power output

PERFECT DESIGN

Brushed aluminum monochromatic look that fits with almost any system design

SUPER THIN

Super thin pure lead plate design for maximum instantaneous output

ULTRA DURABLE

Ultra durable ABS plastic housing for long lasting protection

FAST CHARGE

Extra absorbant glass-matt material for super fast charging

STAINLESS

Stainless steel hardened M5 bolts for secure connections

GENUINE ACCESSORIES

VCM / Voltage Control Module

Precision Charging for 12V, 14V and 16V
Digital Dash-Mount Control
Backlit Bright/Dim Display
Plug & Play Installation



511

MX600/750 stamped aluminum side mount box with window



512

MX600/750 stamped aluminum side mount box without window



HF1215

Compact High Frequency AGM IntelliCHARGER
15AMP Max Output. 12V, 14V and 16V Models Available

*20V models available upon request.



1005

12V, 14V & 16V AGM IntelliCHARGER, 5A, 15A & 25A (25AMP Max Output), 3 Charging Modes

*1005E model not shown, is 110V & 240V switchable

MX SERIES / 12V AGM BATTERIES

With a variety of models available, the all new M.E.S.A MX series from XS Power offers industry leading supplemental power for mobile audio, marine, emergency, commercial, and fleet applications. Anywhere additional storage power is needed, the new MX series has the power on-tap to supply it!



MX600 / 12V AGM

Designed As A Supplemental Power Source

MAX AMP : 600 RC : 25 Ah: 20
 L: 7.13"(181mm) W: 3.03"(77mm) H: 6.57"(167mm)
 Weight: 13.24lbs (6.0kg)



MX750 / 12V AGM

Designed As A Supplemental Power Source

MAX AMP : 750 RC : 28 Ah: 22
 L: 7.13"(181mm) W: 3.03"(77mm) H: 6.57"(167mm)
 Weight: 14.5lbs (6.5kg)



MX950 / 12V AGM

Designed As A Supplemental Power Source

MAX AMP : 950 RC : 50 Ah: 35
 L: 7.68"(195mm) W: 5.12"(130mm) H: 6.61"(168mm)
 Weight: 24.5lbs (11.1kg)



MX2000 / 12V AGM

Designed As A Supplemental Power Source

MAX AMP : 2000 RC : 150 Ah: 80
 L: 10.2"(258mm) W: 6.54"(166mm) H: 8.46"(215mm)
 Weight: 53lbs (24kg)



MX2500 / 12V AGM

Designed As A Supplemental Power Source

MAX AMP : 2500 RC : 185 Ah: 100
 L: 12"(306mm) W: 6.65"(169mm) H: 8.46"(215mm)
 Weight: 66lbs (30kg)



MX3000 / 12V AGM

Designed As A Supplemental Power Source

MAX AMP : 3000 RC : 240 Ah: 120
 L: 13"(330mm) W: 6.8"(173mm) H: 8.65"(220mm)
 Weight: 73lbs (33kg)

BILLET / HOLD DOWNS



515

MX600/750 series billet aluminum hold down



535

MX950 series billet aluminum hold down



577

MX2000 series billet aluminum hold down



XS FLEX

Blue 1/0 (XSFLEX0BL-50)
Clear 1/0 (XSFLEX0CL-50)

Blue 4 AWG (XSFLEX4BL-100)
Clear 4 AWG (XSFLEX4CL-100)

XS Flex / True AWG 100% Pure Oxygen Free Tinned Copper STRAND CT : 4,704 MATL : 100% OXYGEN FREE COPPER

The **XS Flex** line of power cable is XS Power's flagship power cable. It is available in **Blue (XSFLEX0BL-50)** and **Clear (XSFLEX0CL-50)** and in both 50' spools or in 1' increments. The **XS Flex** cable is 100% Pure Oxygen Free Tinned Copper Cable with a massive 4,704 strand count. Just like everything else XS Power does the **XS Flex** cable exceeds the industry CEA-2015 cabling standards and is True AWG cable. The high strand count and soft touch cable jacket allows the wire to be super flexible and easy to use in any installation. Both **XS Flex** cables are also available in a 1,862 strand count 4 AWG.



XP FLEX

Blue 1/0 (XPFLEX0BL-50)
Black 1/0 (XPFLEX0BK-50)
Red 1/0 (XPFLEX0RD-50)

Blue 4 AWG (XPFLEX4BL-100)
Black 4 AWG (XPFLEX4BK-100)
Red 4 AWG (XPFLEX4RD-100)

XP Flex / True AWG 10% Oxygen Free Copper Clad (CCA) STRAND CT : 5,250 MATL : 10% OXYGEN FREE CCA

XS Power is also proud to announce the release of our **XP Flex** line of cable. **XP Flex** is the more economical option in the power cable line, which offers extreme performance and benefits at a great value. The **XP Flex** cable is available in **Black (XPFLEX0BK-50)**, **Blue (XPFLEX0BL-50)** and **Red (XPFLEX0RD-50)** in both 50' spools or in 1' increments. The **XP Flex** cable is 10% Oxygen Free Copper Clad Aluminum (CCA) Cable with an oversized 5,250 strand count, which also exceeds the industry CEA-2015 cabling standards and is True AWG cable. The **XP Flex** cable is also designed to be super flexible and easy to use in any installation. All three **XP Flex** cables are also available in an oversized 2,009 strand count 4 AWG.

Distributed by:



888.4XSPOWER
2847 John Deere Dr.
Knoxville, TN 37917