



**POWERSPORTS**

**AGM/Li/SuperBANK POWERCELLS**

RUGGED CONSTRUCTION DESIGNED FOR POWERSPORTS

XSPowerBATTERIES.COM • 888.4XSPower

# AGM POWER CELLS

SEALED NON-SPILLABLE LEAD ACID BATTERIES



## PSX14L

12V High Performance AGM Power Cell  
MAX Amps: 800, CA: 240, CCA: 210, RC: 25min, Ah: 16  
L: 5.9" W: 3.42" H: 5.78" | Wt: 10.6lbs



## PSX20L

12V High Performance AGM Power Cell  
MAX Amps: 1000, CA: 330, CCA: 290, RC: 26min, Ah: 22  
L: 6.89" W: 3.42" H: 6.1" | Wt: 14.6lbs



## PSX30L

12V High Performance AGM Power Cell  
MAX Amps: 2000, CA: 500, CCA: 440, RC: 57min, Ah: 32  
L: 6.97" W: 3.38" H: 5.14" | Wt: 21lbs



## PS925L

12V High Performance AGM Power Cell  
MAX Amps: 2000, CA: 641, CCA: 564, RC: 59min, Ah: 32  
L: 6.5" W: 6.93" H: 4.92" | Wt: 22.25lbs



## PS975L

12V High Performance AGM Power Cell  
MAX Amps: 2100, CA: 604, CCA: 532, RC: 72min, Ah: 43  
L: 7.83" W: 5.3" H: 6.68" | Wt: 28.5lbs



## PS1200L

12V High Performance AGM Power Cell  
MAX Amps: 2600, CA: 740, CCA: 651, RC: 95min, Ah: 55  
L: 7.79" W: 6.54" H: 6.69" | Wt: 35.3lbs

\*Models not shown: PSX14, PSX20, PS545L, PS680L, PS925 and PS3400



# LithiumFIT<sup>+</sup>

ADVANCED LITHIUM TECHNOLOGY



## Li-PSX14Q

Volt: 12V, MAX Amps: 480, Energy Wh: 66  
CA: 480, CA Pb Eq: 720, Ah: 5.2, Ah Pb Eq: 15.6  
L: 5.9" W: 3.42" H: 5.78" | 2.5lbs



## Li-PSX20Q

Volt: 12V, MAX Amps: 960, Energy Wh: 132  
CA: 480, CA Pb Eq: 720, Ah: 10.4, Ah Pb Eq: 31.2  
L: 6.89" W: 3.42" H: 6.1" | 3.5lbs



## Li-PSX30Q

Volt: 12V, MAX Amps: 1,200, Energy Wh: 165  
CA: 600, CA Pb Eq: 9000, Ah: 13, Ah Pb Eq: 39  
L: 6.97" W: 3.38" H: 5.14" | 4lbs



## Li-PS925L

Volt: 12V, MAX Amps: 360, Energy Wh: 254.4  
CA: 180, CA Pb Eq: 270, Ah: 19.8, Ah Pb Eq: 39.6  
L: 6.5" W: 6.93" H: 4.92" | 6lbs



## Li-PS975L

Volt: 12V, MAX Amps: 720, Energy Wh: 508.8  
CA: 360, CA Pb Eq: 540, Ah: 39.6, Ah Pb Eq: 79.2  
L: 7.83" W: 5.3" H: 6.68" | 10lbs



## Li-PS1200L

Volt: 12V, MAX Amps: 960, Energy Wh: 678.4  
CA: 480, CA Pb Eq: 720, Ah: 52.8, Ah Pb Eq: 105.6  
L: 7.79" W: 6.54" H: 6.69" | 13.5lbs

# SuperBANK

ULTRACAPACITOR MODULES



## SB75-14Q

Opt Volt: 12V-15V, MAX Amps: 1,500, Wh: 4.08  
Capacitance: 75F, CA: 330, CCA: 290, ESR: 0.015  
L: 5.9" W: 3.42" H: 5.78" | 1.5lbs



## SB75-20Q

Opt Volt: 12V-15V, MAX Amps: 1,500, Wh: 4.08  
Capacitance: 75F, CA: 330, CCA: 290, ESR: 0.015  
L: 6.89" W: 3.42" H: 6.1" | 1.5lbs



## SB150-30Q

Opt Volt: 12V-15V, MAX Amps: 3,000, Wh: 8.16  
Capacitance: 150F, CA: 660, CCA: 580, ESR: 0.009  
L: 6.97" W: 3.38" H: 5.14" | 2.5lbs



## SB150-925L

Opt Volt: 12V-15V, MAX Amps: 3,000, Wh: 8.16  
Capacitance: 150F, CA: 660, CCA: 580, ESR: 0.009  
L: 6.5" W: 6.93" H: 4.92" | 3.5lbs



## SB75-975L

Opt Volt: 12V-15V, MAX Amps: 1,500, Wh: 4.08  
Capacitance: 75F, CA: 330, CCA: 290, ESR: 0.015  
L: 7.83" W: 5.3" H: 6.68" | 3.5lbs



## SB630-1200L

Opt Volt: 12V-14.25V, MAX Amps: 15,500, Wh: 16  
Capacitance: 630F, CA: 2,785, CCA: 2,450, ESR: 0.001  
L: 7.79" W: 6.54" H: 6.69" | 8.5lbs

\*Model not shown: SB75-30Q, SB75-545L, SB75-680L, SB75-925L, SB75-1200, SB150-975L and SB630-34

# *Performance* **IntelliCHARGERS**

COMPACT HIGH FREQUENCY CHARGERS & POWER SUPPLIES

## **Li1215**

Compact High Frequency Lithium Ion IntelliChargers 15AMP Max Output. 16V and 25AMP Models Are Also Available.



## **HF1215**

Compact High Frequency AGM IntelliChargers 15AMP Max Output. 12V, 14V and 16V Models Are Also Available.



## **PSC IntelliSUPPLY**

12V, 14V and 16V Compact High Frequency IntelliSUPPLY with AGM charge mode. 15A, 30A, 60A and 90A Models Are Also Available.





# AGMPOWERCELLS

SEALED NON-SPILLABLE LEAD ACID BATTERIES

## **PROS**

---

500 - 2,000 Life Cycles  
Historically Proven Technology  
Lower Initial Cost  
Reserve Capacity

## **CONS**

---

More Weight  
Occasional Maintenance Needed  
Shorter Life Cycles

# LithiumFIT<sup>+</sup>

ADVANCED LITHIUM TECHNOLOGY

## **PROS**

---

2,000 - 4,000 Life Cycles  
Superior Resilience  
Light Weight  
Greater Energy Density

## **CONS**

---

Increased Initial Cost  
Specific Charger Needed

# SuperBANK

ULTRACAPACITOR MODULES

## **PROS**

---

1,000,000 Life Cycles  
Light Weight  
Zero Maintenance  
Ultimate Instantaneous Power

## **CONS**

---

Slightly Higher Initial Cost  
Decreased Capacity



XSPowerBATTERIES.COM • 888.4XSPower  
2847 John Deere Dr. #102 Knoxville, TN 37917

Please note that product specs are subject to change. For the most up-to-date information regarding any XS Power Batteries product, please refer to [xspowerbatteries.com](http://xspowerbatteries.com)